

태경연주

한스바 각봉 표준사이즈

HANSBAR RECTANGLES SPEC. SHEET



HANSBAR

YES, IT'S HERE. IT'S HANSBAR.

치수 (mm)	품명	재질	단위 길이당 중량 (kg/m)	면당 가공여유 (mm)	
				회주철	구상흑연주철
34 × 64	H2, HD5	GC250, GCD500	15.7	2.5	2.5
37 × 66	H2	GC250	17.6	2.5	
37 × 81	H2	GC250	21.6	2.5	
39 × 58	HD5	GCD500	16.3		2.5
40 × 88	H2	GC250	25.3	2.5	
42 × 68	HD5	GCD500	20.6		3
44 × 66	H2	GC250	20.9	2.5	
44 × 80	HD5	GCD500	25.3		3
45 × 47	H2	GC250	15.2	2.5	
45 × 50	H2, HD5	GC250, GCD500	16.2	2.5	2.5
49 × 52	H2	GC250	18.3	2.5	
49 × 87	HD5	GCD500	30.7		3
50 × 90	H2	GC250	32.4	3	
54 × 75	H2	GC250	29.2	3	
55 × 55	HD5	GCD500	21.8		2.5
55 × 60	H2, HD5	GC250, GCD500	23.8	3	2.5
55 × 70	H2	GC250	27.7	3	
55 × 100	HD5	GCD500	39.6		3
58 × 83	HD5	GCD500	34.7		3
60 × 65	H2	GC250	28.1	3	
60 × 75	H2, HD5	GC250, GCD500	32.4	3	3
60 × 130	H2	GC250	56.2	3	
61 × 93	HD5	GCD500	40.8		3
64 × 78	HD5	GCD500	35.9		3
65 × 70	HD5	GCD500	32.8		3
65 × 120	H2	GC250	56.2	4	
67 × 90	H2, HD5	GC250, GCD500	43.4	3	4
69 × 71	H2	GC250	35.3	3	

치수 (mm)	품명	재질	단위 길이당 중량 (kg/m)	면당 가공여유 (mm)	
				회주철	구상흑연주철
70 × 95	HD5	GCD500	47.9		4
70 × 140	H2	GC250	70.6	4	
73 × 73	HD5	GCD500	38.4		4
74 × 77	HD5	GCD500	41		4
75 × 85	HD5	GCD500	45.9		4
75 × 86	H2	GC250	46.4	3	
76 × 135	HD5	GCD500	73.9		4
79 × 102	HD5	GCD500	58		4
80 × 80	H2	GC250	46.1	4	
80 × 90	H2	GC250	51.8	4	
85 × 95	HD5	GCD500	58.1		5
85 × 96	H2	GC250	58.8	4	
85 × 105	HD5	GCD500	64.3		5
85 × 116	H2, HD5	GC250, GCD500	71	4	5
88 × 140	H2	GC250	88.7	4	
91 × 120	HD5	GCD500	78.6		5
95 × 100	H2	GC250	68.4	4	
95 × 130	HD5, HD6	GCD500, GCD600	88.9		5
100 × 115	HD5	GCD500	82.8		5
105 × 105	H2	GC250	79.4	4	
105 × 125	HD5	GCD500	94.5		5
110 × 180	HD5	GCD500	142.6		5
112 × 163	HD5	GCD500	131.4		5
120 × 125	HD5	GCD500	108		5
123 × 133	HD5	GCD500	117.8		5
126 × 181	HD5	GCD500	164.2		6
127 × 145	H2	GC250	132.6	4	
127 × 162	H2	GC250	148.1	4	

치수 (mm)	품명	재질	단위 길이당 중량 (kg/m)	면당 가공여유 (mm)	
				회주철	구상흑연주철
130 × 140	HD5	GCD500	131		5
140 × 145	HD5	GCD500	146.2		6
140 × 230	HD5	GCD500	231.8		6
147 × 172	HD5	GCD500	182		6
151 × 211	HD5	GCD500	229.4		6
157 × 157	H2, HD5	GC250, GCD500	177.5	4	
160 × 200	HD5	GCD500	230.4		6
165 × 240	HD5	GCD500	285.1		6
170 × 190	HD5	GCD500	232.6		6
190 × 210	HD5	GCD500	287.3		6
190 × 250	HD5	GCD500	342		6
205 × 220	HD5	GCD500	324.7		6

- 위 표준규격 외 사이즈에 대해서는 문의 바랍니다.
- 위 표준규격보다 큰 대형 사이즈는 금형품으로 공급합니다.
(220×220 ~ 450×500: 최대길이는 700mm 까지 가능)